



20-21 Wagaraw Road – Bldg. 35E, Fair Lawn, NJ 07410
PH (973) 636-9145 FAX (973) 636-9144
Email: Envirovision@optonline.net

CLIENT: Mount Laurel School District
PROJECT: Lead in Drinking Water
ADDRESS: 301 Larchmont Blvd., Mt. Laurel, NJ 08054
Field Technician: Cathy DiNardo

Project Number 22-178
Larchmont E.S.
Report Date: May 9, 2022

As per your request, EnviroVision Consultants, Inc. was contracted by the Mount Laurel School District to conduct Lead (Pb) in drinking water sampling at the Larchmont Elementary School on April 20, 2022 and April 23, 2022. The sample locations, in addition to unique sample location codes were determined / assigned by school district personnel. The school district performed the proper flushing of the outlets prior to sampling and EnviroVision was instructed to collect only first draw samples for this sampling event. The school district's corresponding flushing logs should be attached to this report.

The facility was closed at the time of sampling in order to prevent occupants from utilizing any water outlets. After flushing, the water in the facility must remain motionless in the plumbing fixtures for a minimum of 8 hours, but no more than 48 hours. Cold water samples were collected in pre-cleaned high-density polyethylene (HDPE) 250mL wide mouth bottles.

The sample was analyzed at EMSL Analytical, Inc. in Cinnaminson, New Jersey (NJDEP#03036), accredited in accordance with NELAC (National Environmental Laboratory Accreditation Conference). The analytical method utilized was inductively coupled plasma mass spectrometry ICP-MS (EPA 200.8).

Results: Twenty drinking water samples were collected from Larchmont Elementary School. All of the twenty samples analyzed were either "None Detected" or less than the US EPA threshold of 15 parts per billion (ppb), or ug/L, for Lead in drinking water. In addition, a required blank was collected each day for Quality Assurance purposes.

Should you have any questions, or if we could be of any further assistance, please feel free to contact our office. EnviroVision looks forward to providing you with the service and attention to detail you have come to expect from us.

Sincerely,
EnviroVision Consultants, Inc.

Cathy DiNardo
Cathy DiNardo, Project Manager

Attached: Lab results, associated data sheets



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Phone: (856) 303-2500 Fax: (856) 858-4571 Email: EnvChemistry2@emsl.com

Attn:

**Frederick Larson
EnviroVision Consultants, Inc
20-21 Wagaraw Rd
Bldg 35E
Fair Lawn, NJ 07410**

5/6/2022

Phone: (973) 636-9145

Fax: (973) 636-9144

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 4/20/2022. The results are tabulated on the attached data pages for the following client designated project:

22-178 Mt. Laurel BOE - Larchmont School

The reference number for these samples is EMSL Order #012206451. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (856) 303-2500.

Approved By:

Owen McKenna, Chemistry Laboratory Director



The test results contained within this report meet the requirements of NELAP and/or the specific certification program that is applicable, unless otherwise noted.

NELAP Certifications: NJ 03036, NY 10872, PA 68-00367, CA ELAP 1877

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (856) 303-2500 / (856) 858-4571
<http://www.EMSL.com> EnvChemistry2@emsl.com

EMSL Order: 012206451
 CustomerID: RAMA51
 CustomerPO:
 ProjectID:

Attn: **Frederick Larson**
EnviroVision Consultants, Inc
20-21 Wagaraw Rd
Bldg 35E
Fair Lawn, NJ 07410

Phone: (973) 636-9145
 Fax: (973) 636-9144
 Received: 4/20/2022 01:00 PM

Project: 22-178 Mt. Laurel BOE - Larchmont School

Analytical Results

Client Sample Description LMF1 **Collected:** 4/20/2022 **Lab ID:** 012206451-0001
 By Gym 9:08:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
--------	-----------	--------	----------	---------------------	-------------------------

METALS

200.8 Lead ND 1.00 µg/L 5/4/2022 VD 5/4/2022 23:52 VD

Client Sample Description LMF1-BF **Collected:** 4/20/2022 **Lab ID:** 012206451-0002
 By Gym 9:09:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
--------	-----------	--------	----------	---------------------	-------------------------

METALS

200.8 Lead ND 1.00 µg/L 5/4/2022 VD 5/5/2022 00:00 VD

Client Sample Description LMF2 **Collected:** 4/20/2022 **Lab ID:** 012206451-0003
 By Gym 9:10:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
--------	-----------	--------	----------	---------------------	-------------------------

METALS

200.8 Lead ND 1.00 µg/L 5/4/2022 VD 5/5/2022 00:01 VD

Client Sample Description LMS1 **Collected:** 4/20/2022 **Lab ID:** 012206451-0004
 Nurses Sink 9:11:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
--------	-----------	--------	----------	---------------------	-------------------------

METALS

200.8 Lead 1.92 1.00 µg/L 5/4/2022 VD 5/5/2022 00:03 VD

Client Sample Description LMF3 **Collected:** 4/20/2022 **Lab ID:** 012206451-0005
 By Nurse 9:14:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
--------	-----------	--------	----------	---------------------	-------------------------

METALS

200.8 Lead 1.09 1.00 µg/L 5/4/2022 VD 5/5/2022 00:04 VD

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (856) 303-2500 / (856) 858-4571
<http://www.EMSL.com> EnvChemistry2@emsl.com

EMSL Order: 012206451
 CustomerID: RAMA51
 CustomerPO:
 ProjectID:

Attn: **Frederick Larson**
EnviroVision Consultants, Inc
20-21 Wagaraw Rd
Bldg 35E
Fair Lawn, NJ 07410

Phone: (973) 636-9145
 Fax: (973) 636-9144
 Received: 4/20/2022 01:00 PM

Project: 22-178 Mt. Laurel BOE - Larchmont School

Analytical Results

Client Sample Description LMF4 **Collected:** 4/20/2022 **Lab ID:** 012206451-0006
 By Nurse 9:15:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	1.49	1.00 µg/L	5/4/2022 VD	5/5/2022 00:06 VD

Client Sample Description LMF5 **Collected:** 4/20/2022 **Lab ID:** 012206451-0007
 By A-11 9:18:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:07 VD

Client Sample Description LMF7 **Collected:** 4/20/2022 **Lab ID:** 012206451-0008
 By A-6 9:21:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:09 VD

Client Sample Description LMF7-BF **Collected:** 4/20/2022 **Lab ID:** 012206451-0009
 By A-6 9:21:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:11 VD

Client Sample Description LMF8 **Collected:** 4/20/2022 **Lab ID:** 012206451-0010
 By K 9:24:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:12 VD

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (856) 303-2500 / (856) 858-4571
<http://www.EMSL.com> EnvChemistry2@emsl.com

EMSL Order: 012206451
 CustomerID: RAMA51
 CustomerPO:
 ProjectID:

Attn: **Frederick Larson**
EnviroVision Consultants, Inc
20-21 Wagaraw Rd
Bldg 35E
Fair Lawn, NJ 07410

Phone: (973) 636-9145
 Fax: (973) 636-9144
 Received: 4/20/2022 01:00 PM

Project: 22-178 Mt. Laurel BOE - Larchmont School

Analytical Results

Client Sample Description LMS2 **Collected:** 4/20/2022 **Lab ID:** 012206451-0011
 Teachers Room 9:28:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:17 VD

Client Sample Description LMF9 **Collected:** 4/20/2022 **Lab ID:** 012206451-0012
 By Staff Restroom 9:30:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:21 VD

Client Sample Description LMF10 **Collected:** 4/20/2022 **Lab ID:** 012206451-0013
 By Staff Restroom 9:32:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:23 VD

Client Sample Description LMF11 **Collected:** 4/20/2022 **Lab ID:** 012206451-0014
 By B14 9:39:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:25 VD

Client Sample Description LMF12 **Collected:** 4/20/2022 **Lab ID:** 012206451-0015
 By B7 9:41:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:26 VD

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (856) 303-2500 / (856) 858-4571
<http://www.EMSL.com> EnvChemistry2@emsl.com

EMSL Order: 012206451
 CustomerID: RAMA51
 CustomerPO:
 ProjectID:

Attn: **Frederick Larson**
EnviroVision Consultants, Inc
20-21 Wagaraw Rd
Bldg 35E
Fair Lawn, NJ 07410

Phone: (973) 636-9145
 Fax: (973) 636-9144
 Received: 4/20/2022 01:00 PM

Project: 22-178 Mt. Laurel BOE - Larchmont School

Analytical Results

Client Sample Description LMF12-BF **Collected:** 4/20/2022 **Lab ID:** 012206451-0016
 By B7 9:43:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:28 VD

Client Sample Description LMF13 **Collected:** 4/20/2022 **Lab ID:** 012206451-0017
 By B8 9:44:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:29 VD

Client Sample Description LMF14 **Collected:** 4/20/2022 **Lab ID:** 012206451-0018
 By B10 9:46:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:31 VD

Client Sample Description LMF15 **Collected:** 4/20/2022 **Lab ID:** 012206451-0019
 Café 9:51:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:35 VD

Client Sample Description LMB **Collected:** 4/20/2022 **Lab ID:** 012206451-0020
 Blank 10:00:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/5/2022 00:37 VD

Definitions:

- MDL - method detection limit
- J - Result was below the reporting limit, but at or above the MDL
- ND - indicates that the analyte was not detected at the reporting limit
- RL - Reporting Limit (Analytical)
- D - Dilution Sample required a dilution which was used to calculate final results



Lead Chain of Custody
EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.
200 Route 130 North
Cinnaminson, NJ 08077

EMSL ANALYTICAL, INC.
TESTING LABS • PRODUCTS • TRAINING

012206451

PHONE: (800) 220-3675

EMAIL: Cinnaminson.LeadLab@emsl.com

Customer Information	Customer ID: RAMA51	Billing Information	Billing ID: RAMA51
	Company Name: EnviroVision Consultants Inc.		Company Name: EnviroVision Consultants Inc.
	Contact Name: Frederick Larson		Billing Contact: Frederick Larson
	Street Address: 20-21 Wagaraw Rd. Suite 35E		Street Address: 20-21 Wagaraw Rd. Suite 35E
	City, State, Zip: Fair Lawn, NJ 07410 Country: Bergen		City, State, Zip: Fair Lawn, NJ 07410 Country: Bergen
Phone: 973-636-9145	Phone: 973-636-9145		
Email(s) for Report: info@envirovisionconsultants.com	Email(s) for Invoice: info@envirovisionconsultants.com		

Project Information

Project Name/No: **22-178 Mt. Laurel BOE- Larchmont School** Purchase Order:

EMSL LIMS Project ID: (If applicable, EMSL will provide) US State where samples collected: **NJ** State of Connecticut (CT) must select project location: Commercial (Taxable) Residential (Non-Taxable)

Sampled By Name: **Cathy DiNardo** Sampled By Signature:

No. of Samples in Shipment

Turn-Around-Time (TAT)

3 Hour 6 Hour 24 Hour 32 Hour 48 Hour 72 Hour 96 Hour 1 Week 2 Week

Please call ahead for large projects and/or turnaround times 6 Hours or Less. *32 Hour TAT available for select tests only; samples must be submitted by 11:30am.

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
CHIPS <input type="checkbox"/> % by wt. <input type="checkbox"/> ppm (mg/kg) <input type="checkbox"/> mg/cm ² *Reporting Limit based on a minimum 0.25g sample weight	SW 846-7000B	Flame Atomic Absorption	0.008% (80ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	0.0004% (4ppm)	<input type="checkbox"/>
	NIOSH 7082	Flame Atomic Absorption	4µg/filter	<input type="checkbox"/>
AIR	NIOSH 7300M / NIOSH 7303M	ICP-OES	0.5µg/filter	<input type="checkbox"/>
	NIOSH 7300M / NIOSH 7303M	ICP-MS	0.05µg/filter	<input type="checkbox"/>
WIPE <input type="checkbox"/> ASTM <input type="checkbox"/> NON-ASTM *If no box is checked, non-ASTM Wipe is assumed	SW 846-7000B	Flame Atomic Absorption	10µg/wipe	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	1.0µg/wipe	<input type="checkbox"/>
TCPLP	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
SPLP	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
TTLC	22 CCR App. II, 7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
STLC	22 CCR App. II, 7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
Soil	SW 846-7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
Wastewater Unpreserved <input type="checkbox"/> PH-2 Preserved with HNO3 <input type="checkbox"/> PH-2	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	EPA 200.7	ICP-OES	0.020 mg/L (ppm)	<input type="checkbox"/>
Drinking Water Unpreserved <input checked="" type="checkbox"/> PH-2 Preserved with HNO3 <input type="checkbox"/> PH-2	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	<input type="checkbox"/>
	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	<input checked="" type="checkbox"/>
TSP/SPM Filter	40 CFR Part 50	ICP-OES	12 µg/filter	<input type="checkbox"/>
Other:				<input type="checkbox"/>

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
LMF1	By Gym	250 mL	4/20/22 908
LMF1-BF	By Gym	250 mL	4/20/22 909
LMF2	By Gym	250 mL	4/20/22 910
LMF3	Nurses sink	250 mL	4/20/22 911
LMF3	By Nurse	250 mL	4/20/22 914

Method of Shipment: **Drop off** Sample Condition Upon Receipt:

Relinquished by: **CD Mardo** Date/Time: **4/20/22 1240** Received by: **CSB** Date/Time: **4/20/22 pm**

Relinquished by: Date/Time: Received by: **Ellyn** Date/Time: **4/20/22 pm**

Controlled Document - COC-25 Lead R16 4/19/2021 *6010C Available Upon Request AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer. Page 1 of 2

HNO3 added 920 **4/20/22**
Page 1 of 2



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Phone: (856) 303-2500 Fax: (856) 858-4571 Email: EnvChemistry2@emsl.com

Attn:

**Frederick Larson
EnviroVision Consultants, Inc
20-21 Wagaraw Rd
Bldg 35E
Fair Lawn, NJ 07410**

5/9/2022

Phone: (973) 636-9145

Fax: (973) 636-9144

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 4/25/2022. The results are tabulated on the attached data pages for the following client designated project:

22-178 Mt Laurel BOE-Larchmont School

The reference number for these samples is EMSL Order #012206560. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (856) 303-2500.

Approved By:

Owen McKenna, Chemistry Laboratory Director



The test results contained within this report meet the requirements of NELAP and/or the specific certification program that is applicable, unless otherwise noted.

NELAP Certifications: NJ 03036, NY 10872, PA 68-00367, CA ELAP 1877

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 012206560

CustomerID: RAMA51

CustomerPO:

ProjectID:

Attn: **Frederick Larson**
EnviroVision Consultants, Inc
20-21 Wagaraw Rd
Bldg 35E
Fair Lawn, NJ 07410

Phone: (973) 636-9145
 Fax: (973) 636-9144
 Received: 4/25/2022 09:00 AM

Project: 22-178 Mt Laurel BOE-Larchmont School

Analytical Results

Client Sample Description LMF6 **Collected:** 4/23/2022 **Lab ID:** 012206560-0001
 By A5 10:05:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/4/2022 22:51 VD

Client Sample Description LMB2 **Collected:** 4/23/2022 **Lab ID:** 012206560-0002
 Blank 10:10:00 AM

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
METALS					
200.8	Lead	ND	1.00 µg/L	5/4/2022 VD	5/4/2022 22:53 VD

Definitions:

MDL - method detection limit

J - Result was below the reporting limit, but at or above the MDL

ND - indicates that the analyte was not detected at the reporting limit

RL - Reporting Limit (Analytical)

D - Dilution Sample required a dilution which was used to calculate final results



Lead Chain of Custody

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.
200 Route 130 North
Cinnaminson, NJ 08077

PHONE: (800) 220-3675

EMAIL: CinnaminsonLeadLab@emsl.com

EMSL ANALYTICAL, INC.
TESTING LABS • PRODUCTS • TRAINING

012206560

AC 50157

Customer ID: RAMA51		Billing ID: RAMA51	
Company Name: EnviroVision Consultants Inc.		Company Name: EnviroVision Consultants Inc.	
Contact Name: Frederick Larson		Billing Contact: Frederick Larson	
Street Address: 20-21 Wagaraw Rd. Suite 35E		Street Address: 20-21 Wagaraw Rd. Suite 35E	
City, State, Zip: Fair Lawn, NJ 07410	Country: Bergen	City, State, Zip: Fair Lawn, NJ 07410	Country: Bergen
Phone: 973-636-9145		Phone: 973-636-9145	
Email(s) for Report: info@envirovisionconsultants.com		Email(s) for Invoice: info@envirovisionconsultants.com	

Project Information

Project Name/No: 22-178 Mt. Laurel BOE- Larchmont School

EMSL LIMS Project ID: (If applicable, EMSL will provide)

US State where samples collected: NJ

State of Connecticut (CT) must select project location: Commercial (Taxable) Residential (Non-Taxable)

Sampled By Name: Cathy DiNardo

Sampled By Signature: [Signature]

No. of Samples in Shipment: []

Turn-Around-Time (TAT)

3 Hour 6 Hour 24 Hour 32 Hour 48 Hour 72 Hour 96 Hour 1 Week 2 Week

Please call ahead for large projects and/or turnaround times 0 Hours or Less. *32 Hour TAT available for select tests only; samples must be submitted by 11:30am.

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
CHIPS <input type="checkbox"/> % by wt. <input type="checkbox"/> ppm (mg/kg) <input type="checkbox"/> mg/lom	SW 846-7000B	Flame Atomic Absorption	0.008% (80ppm)	<input type="checkbox"/>
Reporting Limit based on a minimum 0.25g sample weight	SW 846-6010D	ICP-OES	0.0004% (4ppm)	<input type="checkbox"/>
	NIOSH 7082	Flame Atomic Absorption	4µg/filter	<input type="checkbox"/>
AIR	NIOSH 7300M / NIOSH 7303M	ICP-OES	0.5µg/filter	<input type="checkbox"/>
	NIOSH 7300M / NIOSH 7303M	ICP-MS	0.05µg/filter	<input type="checkbox"/>
WIPE <input type="checkbox"/> ASTM <input type="checkbox"/> NON-ASTM	SW 846-7000B	Flame Atomic Absorption	10µg/wipe	<input type="checkbox"/>
If no box is checked, non-ASTM Wipe is assumed	SW 846-6010D	ICP-OES	1.0µg/wipe	<input type="checkbox"/>
TCLP	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
SPLP	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
TTLC	22 CCR App. II, 7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
STLC	22 CCR App. II, 7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
Soil	SW 846-7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
Wastewater	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
Unpreserved <input type="checkbox"/>				<input type="checkbox"/>
Preserved with HNO3 <input type="checkbox"/> PH<2	EPA 200.7	ICP-OES	0.020 mg/L (ppm)	<input type="checkbox"/>
Drinking Water	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	<input type="checkbox"/>
Unpreserved <input checked="" type="checkbox"/> PH<2	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	<input checked="" type="checkbox"/>
Preserved with HNO3 <input type="checkbox"/> PH<2				<input type="checkbox"/>
TSP/SPM Filter	40 CFR Part 50	ICP-OES	12 µg/filter	<input type="checkbox"/>
Other:				<input type="checkbox"/>

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
1 LMF6	By AS	250ML	4/23/22 1005
2 LMB2	Blank	250ML	4/23/22 1010

Method of Shipment: Drop Off

Sample Condition Upon Receipt:

Relinquished by: C. DiNardo Date/Time: 4/23/22 1130

Received by: [Signature] Date/Time: 4/25/22 9 am

Controlled Document - COC-25 Lead R16 4/19/2021

*6010C Available Upon Request

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

HNO3 ADDED 4/25/22 @ 7:10 am EL